HPARTS LIST


STEERTEK[™] NXT High Capacity Steer Axle System for KME Fire/Rescue Vehicles


LIT NO: SP-305

DATE: December 2018 **REVISION:** A

CONTENTS


DESCRIPTION	PAGE	DESCRIPTION	PAGE
Parts Lists		Selection Guides	6
■ Suspension • Axle • Clamp Group Assembly	2	Special Tool	6
■ Disc Brake Assembly	4		
■ Drum Brake Assembly	5		







Suspension • Clamp Group • Axle Assembly






STEERTEK[™] NXT High Capacity Steer Axle System for KME Vehicles


		VEHI	CLE			VEHI	CLE
KEY N	O. PART NO.	DESCRIPTION	QTY.	KEY NO	. PART NO.	DESCRIPTION	QTY.
		Frame Hanger Assembly			80886-XXX	STEERTEK NXT High Capacity Axle Assembly	
1	79894-002	Front	2			Fire and Rescue, Includes Key Nos. 35-36,	
2	80159-002	Rear with Bushing	2			40-66, See Table 2 on page 6	
		Frame Hanger Fastener Service Kit, One Side		34	77284-010	Axle	1
	34013-247	Front, Includes Key Nos. 5,7, 9-10				Knuckle Assembly, Includes Key Nos. 43, 46, 52-	-55
	34013-248	Rear, Includes Key Nos. 3-4, 6, 8-10		35	77243-001	Left Hand	1
	34013-249	Single Threaded Pin and Grease Zerk		36	77243-002	Right Hand	1_
		Service Kit, Includes Key Nos. 3-4		37	77337-008	Steering Arm	2
3		*Threaded Pin	6	38	30550-027	1"-14 UNF x 31/2" Hex Bolt	4
4		*Grease Zerk	6	39	22962-051	1" Flat Washer	4
5	79843-000	Front Hanger Bottom Cap	4		34013-230	Kingpin Service Kit, One Side	
6	79888-001	Rear Shackle	4			Includes Key Nos. 40, 41a, 42-51, 59-60	
7	80362-001	½"-20 UNC x 4½" Hex Bolt	8	40	75923-001	Kingpin	2
8	80362-002	½"-20 UNC x 3¼" Shackle Hex Bolt	8	41		Kingpin Shim (As needed for service)	2
9	22962-014	½" Flat Washer	32	α	77241-002	0.01"Thickness	
10	17700-034	½"-20 UNC Nut	16	b	77241-003	0.02"	
	34013-311	Single Shock Absorber Service Kit		42	75918-001	Thrust Bearing	2
		Includes Key Nos. 11, 14-19		43	75966-001	Kingpin Seal	4
11	80606-001	Shock Absorber	2			Kingpin Bushing	
12	78250-002	Shock Bracket	2	44	75919-001	Lower, 21/2" Length	2
13	50764-021	34"-10 UNC x 6" Upper Shock Hex Bolt	2	45	75919-002	Upper, 2" Length	2
14	50764-014	34"-10 UNC x 81/2" Lower Shock Hex Bolt	2	46	77209-001	Grease Cap	2
-		Shock Spacer		47	68303-004	O-Ring	2
15	59946-014	Upper, 45 mm Thick	2			Kingpin Draw Key	
16	59946-015	Lower Outboard, 28 mm Thick	2	48	75925-001	Upper, 3%" Length	2
17	59946-005	Lower Inboard, 3 mm Thick	2	49	75925-002	Lower, 4¾" Length	2
18	22962-001	¾" Flat Washer	4	50	22962-054	%6" Flat Washer	4
19	49842-000	3/4"-10 UNC Nut	4	51	17700-008	7/16"-14 UNC-2B Nut	4
20	91081-000	Jounce Stop Assembly	2	52	17491-023	%"-11 UNC-2B Jam Nut	2
	80888-XXX	Leaf Spring & Clamp Group Assembly,	2	53	80183-000	%"-11 UNC x 11/2" Set Screw	2
		Includes Key Nos. 21-33, See Table 1		54	33117-000	Grease Zerk	2
		on page 6		55	64246-000	ABS Sensor Sleeve	2
	34013-XXX	Clamp Group Service Kit, One Side, Includes			77244-XXX	Tie Rod Arm Assembly, Includes Key No. 58	
		Key Nos. 21-23, 25, See Table 1 on page 6				See Table 2 on page 6	
21	64107-XXX	1"-8 UNC Hex Bolt, See Table 1 on page 6	8	56		Left Hand	1
22	22962-051	1" Flat Washer, See Table 1 on page 6	8	57		Right Hand	1
23	78356-002	1" Spherical Washer	8	58	33117-000	Grease Zerk	2
24	78888-000	Top Pad	2	59	30418-014	%"-14 UNF x 3½" Hex Bolt	4
25	79273-001	Spring Liner	<u>-</u>	60	22962-002	%" Flat Washer	4
26	,,2,000.	Leaf Spring Assembly, Includes Key Nos. 3 & 4		61	79365-001	Tie Rod Assembly, 20K Drop, Includes Key	1
		See Table 1 on page 6		•	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Nos. 62-64	
27	80143-001	Caster Wedge - 2°	2			Tie Rod End Service Kits,	
28	301.10.001	Spring Spacer (if equipped)			60961-884	Axle Set, Includes Kit Nos. 60961-882 and -88	83
		See Table 1 on page 6	_		60961-882	Left Hand, Includes Key Nos. 62, 64-66	•
29	77232-000	Axle Seat	2		60961-883	Right Hand, Includes Key Nos. 63-66	
	34013-229	Axle Clamp Collar Service Kit, One Side			00701 000	Tie Rod End, Includes Key No. 64	
	04010 227	Includes Key Nos. 30-33		62	79366-001	Left Hand	1
		*Axle Collar		63	79366-002	Right Hand	i
30		Non Threaded	4	64	, , , , , , , , , , , , , , , , , , , ,	*7/8"-14 UNF-2A Castle Nut	
31		Threaded	4	65	17800-004	Cotter Pin	2
32	78887-001	Axle Seat Liner	2	66	22962-002	7/8" Flat Washer	2
33	/000/-001	*1"-8 UNC x 6½" Hex Thru Bolt	4	00	227UZ-UUZ	70 LIUI WUSHEI	2
55		1 O ONO A O/2 TIGA ITIIU DOII	4				

NOTE: * Item included in kit/assembly only, part not sold separately.

SP-305 3








		VEH	IICLE
KEY N	NO. PART NO.	DESCRIPTION	QTY.
1		*Meritor Torque Plate Assembly	
•		Left Hand, Part No. 3215-F-1878	1
		Right Hand, Part No. 3215-E-1877	i
2	69781-002	M20 x 55 mm Hex Head Bolt	12
3	58246-039	M20 Flat Washer	12
4	80345-004	34"-16 UNC x 21/4" Low Profile Hex Head Bolt	14
2 3 4 5 6 7	22962-001	3/4" Flat Washer	20
6	80691-001	3/4"-16 UNC Hex Nut	6
7		*Meritor Air Disc Brake Caliper Assembly,	
		Includes Key Nos. 10-11, 14-15	
		Left Hand, Part No. EX225H202XX000S	1
		Right Hand, Part No. EX225H201XX000S	1
8		*WABCO Air Brake Chamber MGM T24L,	
		Includes K80131-001 Key No. 9	
		Left Hand, Part No. 423 506 1340	1
		Right Hand, Part No. 423 506 1350	1
9		*Hex Nut	4
		*Meritor Disc Pad Retainer Kit No. 22510,	
		Includes Key Nos. 10-11	
10		*Pad Retainer	
11		*Pad Retainer Bolt	
		*Meritor Air Disc Brake Pad Kit No. 2252H2CG),
		Includes Key Nos 12-13	
12		*Air Disc Brake Pad	
13		*ADB Pad Spring	
		*Meritor Wear Indicator Kit No. 225255,	
		Includes Key Nos. 14-15	
14		*Wear Indicator	
15		*Wear Indicator Spring	

KEY NO	. PART NO.	DESCRIPTION C	CLE QTY.
16		*Conmet Hub and Rotor Assembly Part	2
		No. 10083224, Includes Bearings and Seals	
		*Conmet Brake Rotor Replacement Kit No.	
		10082181, One Wheel End, Includes Rotor	
		and 10 of each Cap Screws and Washers	
17		**M22 x 1.5 Two-piece Wheel Nut	20
		*Conmet Hub Bearing Rebuild Kit No. 10081728	3,
		One Wheel End, Includes Key Nos. 18-23	
		*Conmet Wheel Seal Kit No. 10081519,	
		One Wheel End, Includes Key Nos. 18-19	
18		*Bearing Spacer Part No. 10034342	
19		*Wheel Seal Part No. 10045883	
20		*Inner Bearing Cone Part No. 10041922	
21		*Inner Bearing Cup Part No. 10041921	
22		*Outer Bearing Cup Part No. 10041923	
23		*Outer Bearing Cone Part No. 10041924	
		*Conmet Preset Plus FL Nut Assembly	
		Kit No. 10036550, Includes Key Nos. 24-27	
24		*Snap Ring - Double Wind Part No. 10033288	
25		*Spindle Nut Lockwasher Part No. 10031171	
26		*Outer Spindle Nut Part No. 10031170	
27		*Snap Ring Retainer Part No. 10031172	
28		*Federal-Mogul Hub Cap Gasket No. G-3009	2
29		*Federal-Mogul Hub Cap Part No. 343-009,	2
		Includes Key No. 30	
30		*Rubber Plug	
31	64545-002	5/16"-18 UNC x 3/4" Hex Bolt with Retained Washer	12
32		*WABCO ABS Sensor Part No. 441-032-900-0	2
33	64550-000	ABS Sensor Clip	2







			VEHICLE
KEY	NO. PART NO.	DESCRIPTION	QTY.
1		*Meritor Drum Brake Foundation Kit,	
		Includes Key No. 2	
		Left Hand, Part No. QP4-1656-2125	1
		Right Hand, Part No. QP4-1656-2126	1
2		*Dust Shield	14
3	80345-004	34"-16 x 214" Low Profile Hex Head Bolt	14
4	22962-001	¾" Flat Washer	20
5	80691-001	¾"-16 UNC - 2B Nut	6 rt 2
		*Conmet Preset Plus FL Hub Assembly Pa	rt 2
		No. 10081313, Includes Key Nos.6-16	
6		*Hub Part No. 10033316	
		*Conmet Hub Bearing Rebuild Kit No. 1008	81728,
		One Wheel End, Includes Key Nos. 7-12	
		*Conmet Wheel Seal Kit No. 10081519,	
		One Wheel End, Includes Key Nos. 7-8	
7		*Bearing Spacer Part No. 10034342	
8		*Wheel Seal Part No. 10045883	
9		*Inner Bearing Cone Part No. 10041922	

KEY N	IO. PART NO.	DESCRIPTION	QTY.
10		*Inner Bearing Cup Part No. 10041921	
11		*Outer Bearing Cup Part No. 10041923	
12		*Outer Bearing Cone Part No. 10041924	
		*Conmet Preset Plus FL Nut Assembly	
		Kit No. 10036550, Includes Key Nos. 13-16	
13		*Snap Ring - Double Wind Part No. 10033288	-
14		*Spindle Nut Lockwasher Part No. 10031171	
15		*Outer Spindle Nut Part No. 10031170	
16		*Snap Ring Retainer Part No. 10031172	
17		*Conmet Drum 16.5 x 6 Part No. 10033071	
18		**M22 x 1.5 Two-piece Wheel Nut	20
19		*Federal-Mogul Hub Cap Gasket No. G-3009	2
20		*Federal-Mogul Hub Cap Part No. 343-009,	2
		Includes Key No. 21	
21		*Rubber Plug	
22	64545-002	5/16"-18 UNC x ¾" Hex Bolt with Retained Washe	
23		*WABCO ABS Sensor Part No. 441-032-900-0	2
24	64550-000	ABS Sensor Clip	2

VEHICLE

NOTES: * Not supplied by Hendrickson for aftermarket service purposes. Description and part number listed for reference only. For more information and assistance with service, maintenance and rebuild instructions on these components see below component manufacturers:

- Conmet technical and parts support 800.547.9473 and for technical support: www.conmet.com/general/literature, go to Wheel End Literature, scroll down to Service Manual, Lit No. 10084476
- Federal Mogul Technical and Part Support 800.325.8886 or online at www.fme-cat.com
- Meritor Technical and Part Support 888.725.9355, or online for parts: www.meritorpartsexpress.com and for technical support: www.meritorbullpen.com
- WABCO Technical and Part Support 855.228.3203 or online at www.wabco-auto.com/aftermarket-services/inform-product-catalog
- ** Not supplied by Hendrickson, used for reference only. Contact the vehicle manufacturer for more information.

SP-305 5



■ Selection Guides

TABLE 1

Leaf Spring Assembly and Components

Capacity	Ride Height	Leaf Spring & Clamp Group Assembly	Clamp Group Service Kit	Leaf Spring Assembly Key No. 26 1" Hex Bolt Key No. 21 Length Part No.			1" Flat Washer (USE ONLY AS SPECIFIED)	Leaf Spring Spacer Key No. 28	
		Refer to Parts Li	st for Contents			Part No.	Key No. 22	Thickness	Part No.
20K	10"	80888-001	34013-312	82532-000	9"	64107-003			
ZUK	11"	80888-002	34013-313		10"	64107-008		1"	79814-000
22K	10"	80888-101	34013-312	82533-000	9"	64107-003			
ZZN	11"	80888-102	34013-313		10"	64107-008		1"	79814-000
24K	10"	80888-201	34013-314	82534-000	9.5"	64107-007	22962-051		
Z4K	11"	80888-202	34013-315		10.5"	64107-009	22962-051	1"	79814-000

⚠ WARNING

USE 1" FLAT WASHERS (PART NO. 22962-051) ONLY AS SPECIFIED IN TABLE 1 (LEAF SPRING AND CLAMP GROUP ASSEMBLY). THE TABLE LISTS DIFFERENT CONFIGURATIONS FOR THIS ASSEMBLY. FOR CERTAIN CONFIGURATIONS THE CLAMP GROUP REQUIRES THE USE OF 1" FLAT WASHERS (PART NO. 22962-051) WITH THE SPECIFIED 1" HEX BOLT LENGTH, BUT NOT IN OTHER CONFIGURATION SPECIFICATIONS IN TABLE 1 CAN RESULT IN IMPROPER CLAMP FORCE IN THE LEAF SPRING AND CLAMP GROUP ASSEMBLY, IMPROPER SEATING AND COMPONENT DAMAGE, WHICH CAN CAUSE LOSS OF VEHICLE CONTROL, ADVERSE VEHICLE HANDLING, PROPERTY DAMAGE AND PERSONAL INJURY.

TABLE 2 Axle and Tie Rod Arm Assembly

	STEERTEK NXT	Tie Rod Ar	m Assebly		
Wheel Base	Axle Assembly Key No. 34	Left Hand Key No. 56	Right Hand Key No. 57		
140"-170"	80886-001	77244-057	77244-058		
171"–200"	80886-002	77244-059	77244-060		
201"–230"	80886-003	77244-061	77244-062		
231"–270"	80886-004	77244-063	77244-064		

■ Special Tool

KINGPIN BUSHING TOOL - ADJUSTABLE STRAIGHT FLUTE REAMER



The dimension of cutting diameter must facilitate a range of **2.00"-2.01"**

This is a general parts list to provide directional information. Components may vary by model. Questions in regards to parts, contact Hendrickson Truck Parts at 1.866.755.5968 (Toll-free U.S. and Canada), 630.910,2800 (Outside U.S. and Canada) or e-mail: truckparts@hendrickson-intl.com.

Actual product performance may vary depending upon vehicle configuration, operation, service and other factors.

All applications must comply with applicable Hendrickson specifications and must be approved by the respective vehicle manufacturer with the vehicle in its original, as-built configuration. Contact Hendrickson for additional details regarding specifications, applications, capacities, and operation, service and maintenance instructions.

Call Hendrickson at 1.866.755.5968 (toll-free) or 1.630.910.2800 for additional information.



www.hendrickson-intl.com

TRUCK COMMERCIAL VEHICLE SYSTEMS

800 South Frontage Road Woodridge, IL 60517-4904 USA 1.866.755.5968 (Toll-free U.S. and Canada) 1.630.910.2800 (Outside U.S. and Canada) Fax 1.630.910.2899